



**PASSENGER CAR TYRE**

**2017 V3**

**TIMAX**

PASSENGER CAR AND MINIVAN

### ECO COMFORT 31



Inch	Size	P.R.	Load	Speed
12	155/80R12	/	77	S
	155R12 LT	8PR	88/86	Q
13	155R13 LT	8PR	90/88	Q
	165R13 LT	8PR	94/93	Q
	175R13 LT	8PR	97/95	Q

- Tread wear-resisting compound makes tire Longer life.
- Belt plies composed of steel wires reinforce body plies and increase safety performance.
- Solid uniform tread blocks with circumferential ribs improve straight line stability.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 32



Inch	Size	P.R.	Load	Speed
13	155/80R13	/	79	S

- Unique pattern design keeps the entire tread block surface in contact with the road with auto-blocking sipes.
- Special tread pattern optimises grip on wet and dry road surfaces to provide shorter braking distances.
- High performance tyre designed to enhance fuel efficiency.
- Designed with a central rib and large shoulder blocks, which helps to ensure responsive handling and stable driving at high speeds.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 41



Inch	Size	P.R.	Load	Speed
12	135/70R12	/	65	Q

- Longitudinal wide grooves provide effective drainage and sufficient wet safety driving.
- Special more horizontal sipes and grooves ensure the block rigidity and enhance the wet grip performance.
- Big pattern blocks provide excellent driving force for both on and off road.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 33



Inch	Size	P.R.	Load	Speed
13	165/80R13	/	83	H
	175/60R13	/	77	H
14	165/60R14	/	75	H
	165/65R14	/	79	T
	175/65R14	/	82	H
	175/70R14 LT	8PR	95/93	S
	175/70R14	/	84	T
	185/60R14	/	82	H
	185/80R14	/	91	T
15	195/60R14	/	86	H
	205/60R14	/	88	H
	185/55R15	/	82	H
	185/60R15	/	84	H
	185/65R15	/	88	H
	195/50R15	/	82	V
	195/55R15	/	85	V
	195/60R15	/	88	H
	195/65R15	/	91	H
	205/60R15	/	91	H
	205/65R15	/	94	H
	215/60R15	/	94	H
16	215/65R15	/	96	H
	195/50R16	/	84	V
	195/55R16	/	87	V
	195/60R16	/	89	V
	205/55R16	/	91	V
	205/60R16	/	92	V
	215/55R16	/	93	V
	215/60R16	/	95	V
	215/65R16	/	98	H
	225/55R16	/	95	V
225/60R16	/	102 XL	V	
225/60R16	/	98	V	

- Variable pitch combination shoulder design provides silence and comfort.
- Newly developed directional tread design solves irregular wear, suitable for long mileage.
- Uni-directional tread designed for excellent water evacuation reduces aquaplaning at high speed.
- Central wide rib design provides nice stability, excellent acceleration.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 42



Inch	Size	P.R.	Load	Speed
12	145/70R12	/	69	T

- Specially designed for commercial vans and light trucks.
- The optimized section design improves comfort driving performance.
- Excellent traction and braking performance.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 52



Inch	Size	P.R.	Load	Speed
13	165/65R13	/	77	S
	175/70R13	/	86 XL	S
	185/70R13	/	86	T
14	165/70R14	/	85	T
	185/70R14	/	88	T
	195/60R14	/	86	H
	195/70R14	/	91	T

- Symmetric tread pattern with four straight grooves provides excellent water evacuation performance and reduces aquaplaning at high speed.
- Variable pitch on the shoulder blocks and sipings on the tread surface provides quiet driving experience.
- Silica tread compound for lower rolling resistance and greatly reduces fuel consumption.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 43



Inch	Size	P.R.	Load	Speed
12	145/70R12	/	69	T
13	155/65R13	/	73	T
	155/70R13	/	75	T
	165/70R13	/	83 XL	S

- Siped block design, improved appearance and ride comfort.
- Excellent lateral wet traction.
- Quiet and comfortable driving, smooth cornering.
- Strong passing performance.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 53



Inch	Size	P.R.	Load	Speed
12	155/70R12	/	73	T
	155/80R12	/	77	S
	165/70R12	/	77	T
13	155/80R13	/	79	S

- Concise and fluent lines are showing the flexible and artistic pattern.
- Three straight main grooves and serial rib are for excellent riding stability under both dry and wet road conditions.
- Optimized pitch arrangement minimizes the noise level.
- New-type environmental protection compound are adopted to lower the rolling resistance, and reduce the fuel consumption.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 51



Inch	Size	P.R.	Load	Speed
13	165/70R13	/	83 XL	S
	175/70R13	/	86 XL	S

- Tread designed for excellent water evacuation reduces aquaplaning at high speed.
- Combination on shoulder blocks and sipings on the tread surface provides quiet riding.
- Newly developed directional tread design solves irregular wear.
- Silica tread compound for lower rolling resistance reduces fuel consumption.

PASSENGER CAR AND MINI VAN

### ECO COMFORT 54



Inch	Size	P.R.	Load	Speed
14	185/60R14	/	82	H
	185/65R14	/	86	H

- Four longitudinal tread groove design enhances the drainage performance of the tire.
- Perfect tread pattern pitch design provides the best cornering, effectively reduces tread noise.
- Newly developed directional tread design solves irregular wear.
- The silica compound delivers reduced rolling resistance for better fuel efficiency.

SUV

### ECO SUV 71



Inch	Size	P.R.	Load	Speed
16	215/70R16	/	100	H
	225/70R16	/	103	H
	225/75R16	/	104	T
	235/70R16	/	106	H
	245/70R16	/	107	H
	265/70R16	/	112	H
17	215/60R17	/	96	V
	225/60R17	/	99	H
	225/65R17	/	102	H
	235/55R17	/	99	H
	235/65R17	/	104	H
	245/65R17	/	107	H
	265/65R17	/	112	H
	265/70R17	/	115	H
	285/65R17	/	116	H

- Center solid rib improve high straight-line stability while the small lateral grooves provide optimal braking performance.
- Four main wide longitudinal grooves enhances water evacuation, improve cornering and handling performance on wet ground.
- Extensive sipes design enlarge rubber-to-road contact area, improve the cornering controllability and stability, especially at high speed.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 55



Inch	Size	P.R.	Load	Speed
16	235/60R16	/	104 XL	V
	235/60R16	/	100	V
17	215/55ZR17	/	98 XL	W
	215/55ZR17	/	94	W

- Positive aqua hydro block was developed to provide highly efficient wet braking.
- Cornering and noise reduction rib helps to prevent road noise and increase cornering grip.
- Improved handling performance maintains a stable shape during acceleration, braking and cornering.
- Optimized pitch arrangement applies the optimal four rows of pitch variation for excellent noise performance.

PASSENGER CAR AND MINIVAN

### ECO COMFORT 57



Inch	Size	P.R.	Load	Speed
14	175/70R14	/	84	T
	185/60R14	/	82	H
	195/60R14	/	86	H
15	185/65R15	/	88	H
	195/60R15	/	88	H
	195/65R15	/	91	H
	205/65R15	/	94	H

- Four longitudinal grooves enhance water evacuation; effectively prevent tire lateral slip on wet road.
- Central rib combined with horizontal grooves provides nice stability; excellent acceleration and brake performance at high speed.
- Optimized tread formulation designed specially for taxi use; long driving and fuel efficiency.

LIGHT TRUCK

### ECO MAX 16



Inch	Size	P.R.	Load	Speed
14	185R14 LT	8PR	102/100	S
	195R14 LT	8PR	105/103	S
	205R14 LT	8PR	107/105	R
15	185R15 LT	8PR	103/102	S

- Specially designed for commercial vans and light trucks.
- It is suitable for overload conditions and brings benefit.
- Two circumferential central ribs provide super wear-resistance.

LIGHT TRUCK

### ECO MAX 61



Inch	Size	P.R.	Load	Speed
15	195/70R15 LT	8PR	104/102	R
	225/70R15 LT	8PR	112/110	R
16	185/75R16 LT	8PR	100/97	R
	195/75R16 LT	8PR	107/105	R

- Unique block tread pattern dig into nearly any surface for better off-road traction on dirt, mud, gravel, and wet grass.
- Optimized design and precision manufacturing to offer greatly reduced vibrations and road noise.
- The optimized contact patch shape helps deliver exceptionally long tire life under the toughest conditions.

LIGHT TRUCK

### ECO MAX 18



Inch	Size	P.R.	Load	Speed
15	195R15 LT	8PR	106/104	R

- 3 wide straight grooves are designed for excellent water evacuation.
- Deeper and wider tread design for excellent riding stability, which ensures the safety and high mileage.
- Reasonable pattern design are for increasing ground contact area and improving tire wear performance.

LIGHT TRUCK

### ECO MAX 62



Inch	Size	P.R.	Load	Speed
14	175R14 LT	8PR	99/98	R
15	205/70R15 LT	8PR	106/104	S
	215/70R15 LT	8PR	106/104	S

- 3 zigzag longitudinal grooves provide excellent water evacuation and improve tire flexibility.
- Super solid structural design, provides good shock-resistant and high mileages.
- Stability tread blocks provide super braking performance and excellent handling.
- Silica tread compound make for lower rolling resistance and lower fuel consumption.

LIGHT TRUCK

### ECO MAX 28



Inch	Size	P.R.	Load	Speed
15	650R15 LT	10PR	106/101	N
	700R15 LT	10PR	109/105	L
16	205R16 LT	10PR	110/108	Q
	650R16 LT	10PR	107/102	N
	700R16 LT	12PR	115/110	L
	750R16 LT	12PR	120/116	L

- Two circumferential central ribs provide super wear-resistance.
- Circumferential tread blocks on shoulders deliver excellent stability and handling.
- Special outline avoids eccentric wear, good drive comfortable performance.

LIGHT TRUCK

**ECO MAX 64**



Inch	Size	P.R.	Load	Speed
15	31*10.5R15 LT		109	Q
16	225/75R16 LT	10PR	115/112	R
	225/75R16 LT	8PR	110/107	R
	235/85R16 LT	10PR	120/116	R
	245/75R16 LT	10PR	120/116	R
	265/75R16 LT	10PR	123/120	R
17	255/75R17		115	T

- Optimized component Maximizes performance by optimizing the appropriate combination of tread design, casing shape, materials, and construction.
- Optimized structure helps improve tread wear and resist cracking, chipping and tearing performance on different road conditions.
- Noise reduction design helps reduce tire noise significantly on road surfaces.

LIGHT TRUCK

**ECO MAX 65**



Inch	Size	P.R.	Load	Speed
13	600R13 LT	10PR	98/94	P
14	600R14 LT	10PR	100/96	P
15	600R15 LT	10PR	101/97	N
16	600R16 LT	10PR	102/98	N

- Big ribs combination provides heavy-duty load capacity, even wear and low noise.
- Enhanced tread patterns on shoulders deliver excellent stability, handling and security with high road.
- Special more sipes and grooves design enhances the traction capacity on dry and wet roads.

LIGHT TRUCK

**ECO MAX 66**



Inch	Size	P.R.	Load	Speed
14	215R14 LT	8PR	110/108	R

- Three wide longitudinal grooves provide excellent drainage and prevent tire lateral slip on rainy land.
- Central teeth shaped tread block provide super grip on off road and enhance overland capacity.
- Sipes on outside shoulder enhance turning handling and low down noise in high speed.

LIGHT TRUCK

**ECO MAX 67**



Inch	Size	P.R.	Load	Speed
12	500R12 LT	10PR	87/85	P
	550R12 LT	10PR	92/90	M
13	550R13 LT	12PR	97/95	P

- Special structure design greatly improved the loading capacity.
- Thick sidewall and special wearing compound bring long mileage.
- Standard commercial tire reinforcement designed to meet driver expectations.

LIGHT TRUCK AND SUV

**ECO MAX 68**



Inch	Size	P.R.	Load	Speed
15	225/75R15 LT	8PR	108/104	Q
	235/75R15 LT	10PR	116/113	Q
	P215/75R15	/	100	S
	P225/75R15	/	102	S
	P235/75R15	/	105	S

- Streamlined pattern design,excellent water drainage in rainy days, improve aesthetic feelings.
- Good driving and passing performance.
- Excellent traction and cross-country performance.
- Continuous pattern blocks design makes your drive easy in any tough road condition.

SNOW TIRE

**ECO SNOW 86**



Inch	Size	P.R.	Load	Speed
13	165/70R13	/	83	T
14	185/60R14	/	82	T
15	195/65R15	/	91	T
16	205/55R16	/	90	T

- Straight main grooves design for excellent riding stability, prevent lateral slipping on ice and snow.
- Open grooves for effective water evacuation, greatly enhance the safety performance on ice-snow road.
- High density zigzag 3D sipes ensure the rigidity of pattern blocks, and improve road holding ability.

UHP

**ECO SPORT 58**



Inch	Size	P.R.	Load	Speed
17	205/40ZR17	/	84 XL	W
18	235/40ZR18	/	95 XL	W

- Solid continuous centering rib ensures straight-line driving stability, and small lateral grooves improve high-speed performance.
- Bars in shoulder area can resist irregular tread wear.
- Fashionable variable-pitch shoulder design effectively decrease resonance. Moreover, diamond shape and kerfing design forms an optimal heat-releasing feature.

UHP

**ECO SPORT 59**



Inch	Size	P.R.	Load	Speed
17	215/45ZR17	/	91 XL	W
	225/50ZR17	/	94	W
	225/55ZR17	/	97	W
	235/45ZR17	/	94	V
18	225/40ZR18	/	92 XL	W
	225/60ZR18	/	100	V
	235/55ZR18	/	100	W
	235/60ZR18	/	103	V
	265/35ZR18	/	93	W
	265/60ZR18	/	110	V
20	265/50ZR20	/	107	W

- Asymmetric tread design, inside for good water drainage. Outside for good riding stability precise handling.
- Various siping on the tread and variable pitch on the shoulder blocks minimize noise level.
- 4 circumferential straight grooves for excellent water drainage and minimizes risk of aquaplaning at high speed.
- Silica tread compound for lower rolling resistance and excellent road holding.

TRAILER

**ECO ST 96**



Inch	Size	P.R.	Load	Speed
13	ST 175/80R13	6PR		
	ST 185/80R13	6PR		
14	ST 205/75R14	6PR		
	ST 205/75R14	8PR	105	Q
15	ST 205/75R15	6PR		
	ST 205/75R15	8PR	107	Q
	ST 225/75R15	8PR	113	Q
16	ST 235/80R16	10PR	123	Q

- Designed for towed trailer applications.
- Radial ply construction for strength & durability.
- Tread design with center rib for straight tracking.
- Designed for medium to heavy duty trailers.

# TIMAX

**Tanco Tire Industrial Co., Ltd**

**Add:** No. 230, Shenzhen Road, Laoshan  
Qingdao, Shandong, China

**Tel:** +86-532-81927818

**Fax:** +86-532-81927817

[www.tancotire.com](http://www.tancotire.com)